

# American Gourmet 600 Series

#### Product Guide Model 10301567

#### Tools needed for assembly:

Phillips Screwdriver Flat Head Screwdriver Two adjustable wrenches Hammer

IMPORTANT: Fill out the product record information below.

Serial Number	

Date Purchased

Estimated Assembly Time: 1 Hour

## FOR OUTDOOR USE ONLY

## **AUTION:**

Read and follow all safety statements, assembly instructions, and use and care directions before attempting to assemble and cook.

## **INSTALLER/ASSEMBLER:**

Leave this manual with consumer.

## **CONSUMER:**

Keep this manual for future reference.

#### **WARNING:** CARBON MONOXIDE HAZARD

Burning charcoal inside can kill you. It gives off carbon monoxide, which has no odor. NEVER burn charcoal inside

#### homes, vehicles, or tents.

# MARNING:

Failure to follow all manufacturer's instructions could result in serious personal injury and/or property damage.

# **CAUTION:**

Some parts may contain sharp edges – especially as noted in the manual! Wear protective gloves if necessary.

## riangle caution:

THIS UNIT IS HEAVY! DO NOT attempt to assemble without a helper.

The following are trademarks registered by W.C. Bradley Co. in the U.S. Patent and Trademark Office: Caldera®; Charcoal2Go®; Char-Broil®; America's Legendary Barbeque Company®; American Gourmet@; Bandera®; Brush Hawg®; CB 940®; Char-Diamonds®; Char-Broil Charcoal/Gas®; Everybody Grills®; Everybody Outside®; FastStart®; Grill 2 Go®; Grill 2 Go® Express®; Grill Lovers®; Infrared Grilling That's All About U®; Keepers of the Flame®; New Braunfels Smoker Company®; Patio Bistro®; Patio Caddie®; Patio Kitchen®; Pro-Sear®; RED®; Quantum®; Santa Fe®; Sear and Grill®; Sierra®; Signature Series®; Sure2Burn®; The Big Easy®; Trentino®; U®; Wild West Tradition®; and the following marks:





#### AUT⊙-CLEAN™

The following are trademarks of W.C. Bradley Co.: Advantage Series<sup>™</sup>; Auto-Clean<sup>™</sup>; Chef Tested<sup>™</sup>; Commercial Series<sup>™</sup>; Designer Series<sup>™</sup>; Diamond Flame<sup>™</sup>; Double Chef<sup>™</sup>; Fireball<sup>™</sup>; Fireball

Protected under one or more of the following U.S. Patents: 5,421,319; 5,458,309; 5,579,755; 5,996,573; 6,135,104; 6,279,566; 6,331,108; 6,484,900; 6,526,876; 6,595,197; 6,640,799; 6,640,803; 6,729,873; 6,739,473; 6,749,424; 6,792,935; 6,951,213; 7,047,590; 7,516,693; D364,535; D372,637; D373,701; D377,735; D383,035; D397,910; D405,643; D406,005; D406,009; D413,043; D413,229; D414,982; D415,388; D416,164; D416,441; D417,587; D417,588; D422,216; D423,274; D423,876; D423,030; D430,772; D435,396; D436,004; D438,040; D438,427; D439,110; D442,505; D443,179; D443,354; D447,385; D447,385; D447,395; D447,099; D448,616; D448,615; D448,616; D448,975; D449,492; D450,544; D451,759; D454,031; D455,025; D455,206; D456,202; D456,222; D456,223; D457,789; D458,500; D458,802; D459,088; D459,148; D459,143; D459,163; D459,943; D460,312; D460,312; D460,312; D460,312; D465,032; D456,637; D466,639; D466,752; D473,414; D477,371; D477,549; D477,506; D477,766; D477,746; D477,746

If you have questions or need assistance during assembly, please call 1-800-241-7548. To insure your satisfaction and for follow-up service, register your appliance online at **www.charbroil.com/register** 

#### TABLE OF CONTENTS

Product Record Information1
Safety Symbols 2
Preparing to use your Grill
Grill Maintenance 3
Cooking Tips 4-5
Limited Warranty6
Parts List/ Parts Diagram7
Assembly
Hardware List
Registration Card

This instruction manual contains important information necessary for the proper assembly and safe use of the appliance.

Follow all warnings and instructions when using the appliance.

#### Safety Symbols

The symbols and boxes shown below explain what each heading means. Read and follow all of the messages found throughout the manual.



# DANGER



**DANGER:** Indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury.



# WARNING



**WARNING:** Indicates an potentially hazardous situation which, if not avoided, could result in death or serious injury.



# CAUTION



**CAUTION:** Indicates a potentially hazardous situation or unsafe practice which, if not avoided, may result in minor or moderate injury.

# WARNING



FAILURE TO READ AND FOLLOW INSTRUCTIONS FOR LIGHTING CHARCOAL MAY RESULT IN SERIOUS PERSONAL INJURY AND OR PROPERTY DAMAGE.



- Most surfaces on this unit are hot when in use. Use extreme caution. Keep others away from unit. Always wear protective clothing to prevent injury.
- Keep children and pets away.
- Do not move this unit during operation.
- Never substitute gasoline, kerosene or alcohol for charcoal starter. In some states, the use of charcoal starter is prohibited by law. In this case, paraffin-based starter cubes can be substituted for charcoal starter. Never use charcoal starter fluid with an electric starter.



#### **CALIFORNIA PROPOSITION 65**

- 1. Combustible by-products produced when using this product contains chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.
- 2. This product contains chemicals, including lead and lead compounds, known to the State of California to cause cancer, birth defects or other reproductive harm.

Wash your hands after handling this product.

# WARNING



All surfaces can be hot during use. Use protection as required to prevent burning.

Do not use this unit on or near combustible surfaces or structures such as wood decks, dry leaves or grass, vinyl or wood siding, etc.

SEE OWNERS MANUAL FOR IMPORTANT SAFETY INFORMATION.





For residential use only. Do not use for commercial cooking.

#### PREPARING TO USE YOUR GRILL

Before cooking with your grill, the following steps should be closely followed to both cure the finish and season the interior steel. Failure to properly follow these steps may damage the finish and/or impart metallic flavors to your first foods.

- Brush all interior surfaces including grills and grates with vegetable cooking oil.
- Build a small fire on the ash pan, being sure not to lay coals against te walls.

• Close lid, position butterfly dampers at approximately one quarter turn open. This burn should be sustained for at least two hours. Begin increasing the temperature by opening the butterfly dampers halfway and adding more charcoal. Your grill is now ready for use.

Rust can appear on the inside of your grill. Maintaining a light coat of vegetable oil on the interior surfaces will aid in the protection of your grill. Exterior surfaces of the grill may need occasional touch up. We recommend the use of commercially available black high temperature spray paint. NEVER PAINT THE INTERIOR OF THE GRILL!

#### GRILLING

Charcoal is recommended, however, wood or A combination of both may be used as the fuel source for grilling with the fuel source placed and ignited on the ash pan. Do not build too large of a fire. We recommend starting a fire with no more than 4 pounds of charcoal (approximately 60 briquets) and adding more as needed during cooking. After allowing the fire to burn down, place the cooking grate on the unit. Failure to read and follow instructions for lighting charcoal may result in serious personal injury and/or property damage.

#### **GRILL MAINTENANCE**

Frequency of clean up is determined by how often the grill is used. Make sure coals are completely extinguished before cleaning inside of the unit. Thoroughly rinse with water and allow to air dry before using again. Wipe out the interior of the unit with a cloth or paper towels.

When finished cooking, and the unit has adequately cooled, clean out all remaining ashes. Ashes collect moisture, which can lead to premature rusting and decay. Periodically coating the interior surfaces with vegetable oil will aid in the protection of your unit. Also, occasional touch up of the exterior paint will be required. Black, high-temperature spray paint is recommended. NEVER PAINT THE INTERIOR OF THE UNIT.

**Cooking Surface:** If a bristle brush is used to clean any of the grill cooking surfaces, ensure no loose bristles remain on cooking surfaces prior to grilling. It is not recommended to clean cooking surfaces while grill is hot.

### WARNING Most surfaces on this unit are hot when in use. Use extreme caution. Keep others away from unit. Always wear protective clothing to prevent injury. Keep children and pets away. Do not move this unit during operation. Never substitute gasoline, kerosene or alcohol for charcoal starter. In some states, the use of charcoal starter is prohibited by law. In this case, paraffin-based starter cubes can be substituted for charcoal starter. Never use charcoal starter fluid with an electric starter.

#### **COOKING TIPS**

#### Building Your Fire

- 1.) Stack charcoal briquettes or wood into a pyramid-shaped pile on top of the charcoal grate or ash pan. We recommend using 4 pounds (approximately 50 60 briquettes) to start your fire, adding more as needed.
- 2.) If using lighter fluid, saturate the charcoal briquettes with lighter fluid and let it soak in for approximately 5 minutes. If using a chimney starter, electric starter, or other type of fire starter, light your fire according to the manufacturer's instructions.
- 3.) After allowing the lighter fluid to properly soak in, light the pile of briquettes in several locations to ensure an even burn. *Always light the fire with the grill lid open.* Leave lid open until briquettes are fully lit. Failure to do this could trap fumes from charcoal lighter fluid in grill and may result in a flash fire when lid is opened.
- 4.) Never add charcoal lighter fluid to hot or warm coals as flashbacks may occur causing injury.
- 5.) You are ready to begin cooking when the pile of briquettes ashes over and produces a red glow (approximately 12 15 minutes).
- 6.) Depending on your cooking method, either leave the briquettes in a pile or spread evenly across the charcoal grate using a long-handled poker.

#### \*Always use caution when handling hot coals to prevent injury.

#### Know When Your Fire is Ready

Successful charcoal grilling depends on a good fire. The general rule for knowing when your coals are ready for grilling is to make sure that 80 percent or more of the coals are ashy gray. If you have less than that, the coals are not ready, and if all of them are glowing red hot, the fire is probably too hot. Here are a few steps you can take to adjust the temperature of your fire:

- If it is too hot, spread the coals out a bit more, which makes the fire less intense.
- Raise or lower the adjustable charcoal grate.
- Partially close the vents in the grill, which reduces the amount of oxygen that feeds the fire.
- Use the indirect grilling method, with coals to either side of a drip pan and the food over the pan rather than directly over the coals.
- In the event of a severe flare-up, spray the flames with water from a squirt bottle. Be careful, spraying with water tends to blow ashes around and make a mess.
- Add briquettes 2 or 3 at a time to increase the burn time. Allow 10 minutes for coals to ash over before adding more.

THE HEAT OF THE COALS			
H Yi	seconds you can hold the palm of our hand 4 inches above the coals	temperature range (F	?) visual cues
డు చు చు చు Hot coals	2	400 to 450	barely covered with
A CONTRACT OF CONTRACT.	3	375 to 450	gray ash; deep red glow thin coating of gray ash; deep red glow
	<b>LS</b> 4	325 to 375	significant coating of
کے کے MODERATELY COOL CC	DALS 5	300 to 325	gray ash; red glow thick coating of gray ash; dull red glow

#### Direct and Indirect Grilling

**Direct Grilling -** For most grilling, the ignited coals are spread in a single layer under the food. This is called direct grilling and is appropriate for relatively quick-cooking items such as hamburgers, steaks and most seafood. The single layer of coals emits even, steady heat, whether the grill lid is open or closed, and represents the way most people grill. For more control, pile some of the coals on one side of the grill where they will emit intense heat. You can move the food around on the grill, setting it over the very hot coals when you want to sear it or when a thick piece needs to cook a little more quickly. You can also use the adjustable charcoal grate and dampers to control the temperature in your grill.

**Indirect Grilling -** For items that take longer to cook, you will want to use indirect grilling. This method is for long, slow cooking in a covered grill. For indirect cooking, the coals are piled two or three coals deep on one side of the grill, or divided and piled on two sides. This leaves an empty space next to the coals or between them. Food cooked over indirect heat is often started over direct heat and then moved to the cooler (empty) part of the grill for even, slow cooking. To make the heat as even as possible, construct two piles of coals. It is common to place a metal drip pan in the empty space beside or between the coals, which is filled with water, wine, beer, broth, or a combination. Place the food directly over the drip pan. This injects a little extra moisture into the cooking environment and also catches dripping juices, which makes clean-up a little easier and reduces the possibility of flare-ups. (Remember to keep a spray bottle filled with water on hand to extinguish any flare-ups.) Once you get used to the indirect method, you may prefer to use it for more grilling tasks. Although it may take a little longer, it is an excellent cooking method and a sure way to prevent the food from burning and to promote even cooking.

#### Grilling with Wood Chips/Wood Chunks

For a more robust smoke flavor while using charcoal briquettes or lump charcoal, try adding wood chips or several wood chunks to the fire. Wood chunks are available in a variety of natural flavors, and can be used alone or in addition to charcoal. As a general rule, any hardwood that bears a fruit or nut is suitable for cooking. However, different woods have very different tastes. Experiment with different woods to determine your personal favorite, and always use well-seasoned wood. Green or fresh-cut wood can turn food black, and tastes bitter.

#### **Our Recommendations:**

Chicken - Alder, Apple, Hickory, Mesquite, Sassafras, Grapevines
Beef - Hickory, Mesquite, Oak, Grapevines
Pork - Fruitwoods, Hickory, Oak, Sassafras
Lamb - Fruitwoods, Mesquite
Veal - Fruitwoods, Grapevines
Seafood - Alder, Mesquite, Sassafras, Grapevines
Vegetables – Mesquite

USDA Recommended			
Internal Cooking Temperatures			
Ground Meat			
Beef, Pork, Veal, Lamb	160°F		
Turkey, Chicken	165°F		
Fresh Beef, Veal, I	Lamb		
Medium Rare	145°F		
Medium	160°F		
Well Done	170°F		
Poultry			
Chicken & Turkey, whole	165°F		
Poultry Parts	165°F		
Duck & Goose	165°F		
Fresh Pork			
Medium	160°F		
Well Done	170°F		

#### LIMITED WARRANTY

This warranty only applies to units purchased from an authorized retailer. Manufacturer warrants to the original consumer-purchaser only that this product shall be free from defects in workmanship and materials after correct assembly and under normal and reasonable home use for the periods indicated below beginning on the date of purchase\*. The manufacturer reserves the right to require that defective parts be returned, postage and or freight pre-paid by the consumer for review and examination.

#### SCOPE OF COVERAGE

#### PERIOD OF COVERAGE

#### **TYPE OF FAILURE COVERAGE**

All Parts	90 days from date of purchase*	PERFORATION, MANUFACTURING,
		AND MATERIAL DEFECTS ONLY

\*Note: A dated sales reciept WILL be required for warranty service.

#### The original consumer-purchaser will be responsible for all shipping charges for parts replaced under the terms of this limited warranty.

This limited warranty is applicable in the United States and Canada only, is only available to the original owner of the product and is not transferable. Manufacturer requires proof of your date of purchase. Therefore, you should retain your sales slip or invoice. Registering your product is not a substitute for proof of purchase and the manufacturer is not responsible for or required to retain proof of purchase records.

This limited warranty applies to the functionality of the product ONLY and does not cover cosmetic issues such as scratches, dents, corrosions or discoloring by heat, abrasive and chemical cleaners or any tools used in the assembly or installation of the appliance, surface rust, or the discoloration of stainless steel surfaces. RUST is not considered a manufacturing or materials defect.

#### This limited warranty will not reimburse you for the cost of any inconvenience, food, personal injury or property damage.

#### **ITEMS MANUFACTURER WILL NOT PAY FOR:**

- 1. Shipping cost, standard or expedited, for warranty and replacement parts
- 2. Service calls to your home.
- 3. Repairs when your product is used for other than normal, single-family household or residential use.
- 4. Damage, failures, or operating difficulties resulting from accident, alteration, careless handling, misuse, abuse, fire, flood, acts of God, improper installation or maintenance, installation not in accordance with electrical or plumbing codes, or use of products not approved by the manufacturer.
- 5. Any food loss due to product failures or operating difficulties.
- 6. Replacement parts or repair labor costs for units operated outside the United States or Canada.
- 7. Pickup and delivery of your product.
- 8. Repairs to parts or systems resulting from unauthorized modifications made to the product.
- 9. The removal and/or reinstallation of your product.

#### DISCLAIMER OF IMPLIED WARRANTIES and LIMITATION OF REMEDIES

Repair or replacement of defective parts is your exclusive remedy under the terms of this limited warranty. In the event of parts availability issues, the manufacturer reserves the right to substitute like or similar parts that are equally functional.

Manufacturer will not be responsible for any consequential or incidental damages arising from the breach of either this limited warranty or any applicable implied warranty, or for failure or damage resulting from acts of God, improper care and maintenance, grease fire, accident, alteration, replacement of parts by anyone other than Manufacturer, misuse, transportation, commercial use, abuse, hostile environments (inclement weather, acts of nature, animal tampering), improper installation or installation not in accordance with local codes or printed manufacturer instructions.

THIS LIMITED WARRANTY IS THE SOLE EXPRESS WARRANTY GIVEN BY THE MANUFACTURER. NO PRODUCT PERFORMANCE SPECIFICATION OR DESCRIPTION WHEREVER APPEARING IS WARRANTED BY MANUFACTURER EXCEPT TO THE EXTENT SET FORTH IN THIS LIMITED WARRANTY. ANY IMPLIED WARRANTY PROTECTION ARISING UNDER THE LAWS OF ANY STATE, INCLUDING IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE. IS HEREBY LIMITED IN DURATION TO THE DURATION OF THIS LIMITED WARRANTY.

Neither dealers nor the retail establishment selling this product has any authority to make any additional warranties or to promise remedies in addition to or inconsistent with those stated above. Manufacturer's maximum liability, in any event, shall not exceed the purchase price of the product paid by the original consumer.

NOTE: Some states do not allow an exclusion or limitation of incidental or consequential damages, so some of the above limitations or exclusions may not apply to you. This limited warranty gives you specific legal rights as set foth herein. You may also have other rights which vary from state to state. In the state of California only, if refinishing or replacement of the product is not commercially practicable, the retailer selling this product or the Manufacturer will refund the purchase price paid for the product, less the amount directly attributable to use by the original consumer-purchaser prior to discovery of the nonconformity. In addition, in the state of California only, you may take the product to the retail establishment selling this product in order to obtain performance under this limited warranty.

#### If you wish to obtain performance of any obligation under this limited warranty, you should

write to:

**Consumer Relations** P. O. Box 1240

#### Columbus, GA 31902-1240

Consumer returns will not be accepted unless a valid Return Authorization is first acquired. Authorized returns are clearly marked on the outside of the package with an RA number and the package is shipped freight/postage pre-paid. Consumer returns that do not meet these standards will be refused.

Page 6

#### PARTS LIST


<u>Key</u>	Qty	Description	Key	Qty	Des
1	1	Lid Assembly	15	1	Hea
2	1	Swing-Away Grate	16	2	Whe
3	3	Cooking Grate	17	1	Stor
4	2	Fire Grate Hanger	18	2	Lid I
5	1	Butterfly Damper	19	1	Smo
6	1	Ash Pan/Fire Grate	20	1	Han
7	1	Front Shelf Bracket, RH	21	1	Lid I
8	1	Front Shelf Bracket, LH	22	1	Side
9	2	Cart Brace	23	1	Fire
10	2	Long Leg	24	2	Fror

- Long Leg Z 11 2 Short Leg
- 2 Wheel Cap 12
- 13 1 Axle
- 14 2 Leg End Caps

- scription
- eat Indicator
- neel
- orage Rack
- Hinge Pins
- noke Stack
- andle Barrel Spring
- Handle
- le Shelf
- ebox

---


- Front Shelf Slats Z
- Grease Cup Clip 25 1
- Cooking Grate Lifter 26 1
- Hardware Pack 1 \_
  - Assembly Instructions, English 1
  - Assembly Instructions, French 1




#### ASSEMBLY

**FIRST, GET A HELPER!** This unit is heavy and requires a second person for lifting and moving. **NEXT,** pick a suitable location to work. Open the carton and slit the corners so that the carton lays flat. This will give you a protective surface during assembly.


To begin assembly, build two leg assemblies by sliding the long leg sections into the short leg sections.



Attach leg braces to the outside of one leg assembly using 4 each 1/4-20x1 3/4" screws and 4 each 1/4-20 flange nuts. Do not fully tighten screws until Step 6 is complete.





Lay the leg assembly on its side with leg braces pointing upward. insert the wood rack hooks into leg holes and swing rack upward, parallel to leg braces.



4


With aid of a helper, place leg holes of remaining leg assembly over wood rack and rotate leg assembly unitl it meets the leg braces. *Make sure both short legs are at one end of the rack and both long legs at the other end.* Attach leg braces using 4 each 1/4x20x1 3/4" screws and 4 each 1/4-20 flange nuts. Do not fully tighten screws until Step 6 is complete.





Insert a small **Hair Pin Clip**into the hole at one end of the **axle** and bend the ends of the pin back so that it cannot be removed. Slide a **wheel** onto the **axle**. Slide the axle through the holes at the ends of the short legs. Slide the remaining **wheel** onto the axle and secure with the remaining **Hair Pin Clip**.


Finally, Push the wheel caps onto each end of the axle.




6

Place the **firebox** onto the **cart**. The **butterfly damper** should be on you right hand side. Insert 4 each **1/4-20X1 3/4" screws** through cart and firebox. Secure the **firebox** using 4 each **1/4-20 flange nuts**. Insert screws from outside, flange nuts from inside chamber.


# FULLY TIGHTEN ALL SCREWS AND NUTS AT THIS TIME.




- Attach LH and RH Front Shelf Brackets to the firebox using 4 each 1/4-20" Shoulder Bolts and 4 each 1/4-20 flange nuts.
  - After the front shelf brackets are secured, attach the front shelf slats to the brackets using 4 each 1/4-20x1 1/4 screws and 4 each 1/4-20 flange nuts.




A - Attach Side Shelf Brackets to LH side of firebox using 4 each 1/4-20x1/2 screws and 4 each 1/4-20 Flange nuts. B - Attach Side Shelf Slats to Side shelf brackets using 6 each 1/4-20x1 1/4" screws and 6 each 1/4-20 flange nuts. NOTE: The Side Shelf may be pre-assembled, if so attach the Side Shelf per Step A.




Next, install Smokestack by inserting 2 each 1/4-20x3/4 screws though Grill Lid, insert Smokestack into Grill Lid hole, then secure using 2 each 1/4-20 flange nuts.



Install the Swing-Away Grate by inserting 2 each 1/4-20x2" screws (one for each side of the lid) into Grill Lid and secure with 2 each 1/4-20 flange nuts. Place the wire loop in Swing-Away over the shaft of the bolt, as shown below. Similarly secure the Swing-Away leg to the firebox using 2 each 1/4-20x3/4" screws and 2 each 1/4-20 flange nuts.






Attach the butterfly damper wheel to the firebox using 1 each **1/4-20x3/4"** screw, 2 each **flat washers**, 1 **lock washer** and one **1/4-20 flange nut**. DO NOT FULLY TIGHTEN THE FLANGE NUT. This will allow for rotation of the damper wheel.

Insert the **Charcoal Tray** into the firebox as shown below. The charcoal tray hanger will rest on the hanger tabs on the firebox.

Next Attach the Templerature Guage to the Grill Lid.




Place the 3 **Cooking Grates** into the firebox. The **Cooking Grates** will rest on the front and rear ledges of the firebox.

Next, Attach the Grease Cup Clip as shown.

Your grill is now completely assembled. Please refer to page 3 for instructions on how to prepare and season your grill prior to cooking.






Install Grease Cup Clip

# HARDWARE LIST

Hardware is shown actual size. You may have spare hardware after assembly is complete.











# Here's what you can find at **www.charbroil.com**

- Register your Char-Broil<sup>®</sup> product
- Get information about our products
- Our replacement parts
- Reliable customer support
- Delicious recipes
- Char-Broil<sup>®</sup> on-line store
- Sizzle On The Grill<sup>TM</sup> E-newsletter
- And much more!

Please visit us at **www.charbroil.com** and click on the <u>Buy Online</u> link to find grilling tools and accessories, maintenance items, covers, grill parts, as well as Char-Broil<sup>®</sup> grills and cookers. We also have a <u>Special</u> <u>Offers</u> section, so be sure to check often for specials deals.

In addition to the online store, charbroil.com offers you a wealth of information regarding Char-Broil<sup>®</sup> gas, charcoal, electric, and new infrared grills and cookers.

Be sure to check out our many grilling recipes and don't forget to sign up for our exciting newsletter *Sizzle on the Grill*<sup>imessilon</sup> to stay updated on new recipes, contests, and the latest happenings here at Char-Broil<sup>®</sup>.

Charbroil.com also offers on-line customer support for Char-Broil<sup>®</sup> products.

# Thank you for support, and HAPPY GRILLING!

# **www.charbroil.com** For all your grilling needs!

## Please register your product online at:

# www.charbroil.com/register

#### (If you register online, you do not need to send in this registration card.)

	PLEASE FILL OUT THIS CARD AND ATTACH A COPY OF YOUR SALE YOUR WARRANTY COVERAGE. FOR WARRANTY SERVICE F	ES RECEIPT. RETURN IT WITHIN 10 DAYS OF PURCHASE. FA PROOF OF PURCHASE WILL BE REQUIRED. THIS WARRANTY	
	LLENE ESTA TARJETA Y DEVUELVALA DENTRO DE LOS 10 DIAS DE PARA EL SERVICIO DE GARANTIA ES NECESARIO QUE PRESENTE SU		
	VEUILLEZ COMPLETER CETTE CARTE ET LA RETOURNER DANS L AFFECTEE SI VOUS NE LE FAITES PAS. POUR OBTENIR LE SERV VOTRE FACTURE. LA PR		
1	First Name/Nombre/Prénom Initial/Inicial/Initial		
	Address (number and street)/Dirección (número y calle)/Adresse (numéro et rue)	) Apt Number/Nº de apart./Nº d'app	t.
	City/Ciudad/Ville	State/Estado/Province Zip Code/Código Zip/Code post	al
2	E-mail Address/Dirección de correo electrónico/Adresse électronique If you voluntarily provide us with your email address, you give us permission to use your email Si nos informa voluntariamente su dirección de correo electrónico, nos da permiso para usarlo Si vous choisissez de nous fournir votre adresse électronique, vous nous donnez la permission de vous intéresser.	l address to send you offers that may interest you. o a fin de enviarle ofertas que pueden interesarle.	O Attach copy of your sales receipt here Adjunte aquí la copia de su recibo de compra Veuillez attacher une copie de votre reçu ici.
	(Example: your name @ your host.com) (Ejemplo: su nombre@su host.	com) (Exemple : votre nom@votre hôte.com)	
3	Phone Number/Número telefónico/Numéro de téléphone	6 Date of Purchase/Fecha de compra/Date de l'achat	
4	IMPORTANT!/¡IMPORTANTE!/IMPORTANT! Write Serial Number and Model Number in spaces below. Escriba en los espacios de abajo el número de serie y el número de modelo. Inscrivez le numéro de série et le numéro de modèle dans les espaces ci-dessous.	7 Store Name/Nombre de la tienda/Nom du magasin         9 Purchase Price/Precio de compra/Prix d'achat         \$         00	
5	Your Gender/Sexo/Sexe : 1.  Male/Masculino/Ma	sculin 2. 🗌 Female/Femenino/Féminin	
9	Which product are you registering? ¿Qué producto está registrando? Quel produit enregistrez-vous? 1. Gas Grill/Parrilla a gas/Gril au gaz 2. Electric Grill/Parrilla eléctrica/Gril électrique 3. Smoker/Ahumador/Fumoir 4. Charcoal Grill/Parrilla a carbón/Barbecue au charbon 5. Charcoal Grill/Parrilla a carbón/Fumoir au charbon 6. Outdoor Fireplace/Chimenea para exteriores/Foyer extérieur 7. Cooker/Fryer / Cocina/freidora / Cuiseur/Friteuse 8. Other/Otro/Autre	Mail to: / Envíelo a: Warranty Registration Department P.O. Box 1240 Columbus, GA 31902-1240	
in G Of M C	nank you for completing this questionnaire. Your answers will hel terest you. If you prefer not to receive these offers, please check racias por completar este cuestionario. Sus respuestas nos ayuda ertas que puedan resultarle de interés. Si prefiere no recibir estas erci d'avoir bien voulu remplir ce questionnaire. Vos réponses no mmuniquer des of fres spéciales susceptibles de vous intéresser oncernant ces of fres spéciales, veuillez cocher ici .	here □ arán, a nosotros y a otras compañías, a llegar a usted con s ofertas, por favor marque aquí □. us aideront et aideront d'autres compagnies à vous	